poetry-up

Claudio Jolowicz

CONTENTS

1	Reference	1
2	Contributor Guide	7
3	Contributor Covenant Code of Conduct	9
4	License	13
5	Installation	15
6	Usage	17
Рy	thon Module Index	19
Index		21

ONE

REFERENCE

- poetry_up.console
- poetry_up.git
- poetry_up.github
- poetry_up.poetry
- poetry_up.update

1.1 poetry_up.console

Command-line interface.

1.2 poetry_up.git

```
Git wrapper.
```

```
class poetry_up.git.MergeRequest (title, description)
```

Merge request with a title and a description.

```
poetry_up.git.add(paths)
```

Add the specified paths to the index.

Return type None

```
poetry_up.git.branch_exists(branch)
```

Return True if the branch exists.

Return type bool

```
poetry_up.git.commit (message)
```

Create a commit using the given message.

Return type None

```
poetry_up.git.current_branch()
```

Return the checked out branch.

Return type str

```
poetry_up.git.is_clean(paths=())
```

Return True if the working tree, or the given files, are clean.

Return type bool

poetry_up.git.push (remote, branch, merge_request=None)

Push the branch to the remote.

Parameters

- remote (str) The remote to push to.
- branch (str) The branch to be pushed.
- merge_request (Optional[MergeRequest]) The merge request to create for the branch (optional).

Return type None

```
poetry_up.git.remove_branch(branch)
```

Remove the specified branch.

Return type None

```
poetry_up.git.resolve_branch(branch)
```

Return the SHA1 hash for the given branch.

Return type str

```
poetry_up.git.switch(branch, create=False, location=None)
```

Switch to the specified branch.

Parameters

- branch (str) The branch to be switched to.
- create (bool) Create the branch.
- location (Optional[str]) The location at which the branch should be created.

Return type None

1.3 poetry_up.github

GitHub wrapper.

```
poetry_up.github.create_pull_request(title, body)
```

Create a pull request for the checked out branch.

Return type None

```
poetry_up.github.pull_request_exists(branch)
```

Return True if a pull request exists for the given branch.

Return type bool

1.4 poetry_up.poetry

```
Poetry wrapper.
```

class poetry_up.poetry.**Package** (name, old_version, new_version, compatible=True) Package with current and available versions.

poetry_up.poetry.find_latest_package (poetry, package)
Find the latest package.

Return type Package

poetry_up.poetry.search_for_package_with_provider(poetry, package)
Search for the package using Provider.

Return type Package

poetry_up.poetry.show_outdated()

Yield outdated packages.

Return type Iterator[Package]

poetry_up.poetry.update(package, lock=False)
Update the given package.

Parameters

- package (Package) The package to be updated.
- **lock** (bool) If True, do not install the package into the environment.

Return type None

poetry_up.poetry.update_constraint(package, dependencies)

Update the version constraint for the package in the given TOML table.

Return type None

poetry_up.poetry.update_pyproject_toml (package)

Update the version constraint for the package in pyproject.toml.

Return type None

1.5 poetry_up.update

Update module.

class poetry_up.update.Action(updater)

Base class for actions.

property required

Return True if the action needs to run.

Return type bool

class poetry_up.update.Actions (switch, update, commit, rollback, push, pull_request)
Actions for a package update.

classmethod create(updater)

Create the package update actions.

Return type Actions

```
class poetry_up.update.Commit (updater)
     Create a Git commit for the update.
     property required
          Return True if the action needs to run.
              Return type bool
class poetry_up.update.Options (install, commit, push, merge_request, pull_request, upstream, re-
                                       mote, dry_run, packages)
     Options for the update operation.
class poetry_up.update.PackageUpdater(package, options, original_branch)
     Update a package.
     property required
          Return True if the package needs to be updated.
              Return type bool
     run()
          Run the package update.
              Return type None
     show()
          Print information about the package update.
              Return type None
class poetry up.update.PullRequest(updater)
     Open a pull request for the update branch.
     property required
          Return True if the action needs to run.
              Return type bool
class poetry_up.update.Push(updater)
     Push the update branch to the remote repository.
     property required
          Return True if the action needs to run.
              Return type bool
class poetry up.update.Rollback(updater)
     Rollback an attempted package update.
     property required
          Return True if the action needs to run.
              Return type bool
class poetry_up.update.Switch(updater)
     Switch to the update branch.
     property required
          Return True if the action needs to run.
              Return type bool
class poetry_up.update.Update(updater)
     Update the package using Poetry.
```

```
class poetry_up.update.Updater(options)
     Update packages.

run()
     Run the package updates.

Return type None
```

CONTRIBUTOR GUIDE

Thank you for your interest in improving this project. This project is open-source under the MIT License and welcomes contributions in the form of bug reports, feature requests, and pull requests.

Here is a list of important resources for contributors:

- Source Code
- Documentation
- · Issue Tracker
- Code of Conduct

2.1 How to report a bug

Report bugs on the Issue Tracker.

When filing an issue, make sure to answer these questions:

- Which operating system and Python version are you using?
- Which version of this project are you using?
- What did you do?
- What did you expect to see?
- What did you see instead?

The best way to get your bug fixed is to provide a test case, and/or steps to reproduce the issue.

2.2 How to request a feature

Request features on the Issue Tracker.

2.3 How to set up your development environment

You need Python 3.6+ and the following tools:

- Poetry
- Nox

Install the package with development requirements:

```
$ poetry install
```

You can now run an interactive Python session, or the command-line interface:

```
$ poetry run python
$ poetry run poetry-up
```

2.4 How to test the project

Run the full test suite:

```
$ nox
```

List the available Nox sessions:

```
$ nox --list-sessions
```

You can also run a specific Nox session. For example, invoke the unit test suite like this:

```
$ nox --session=tests
```

Unit tests are located in the tests directory, and are written using the pytest testing framework.

2.5 How to submit changes

Open a pull request to submit changes to this project.

Your pull request needs to meet the following guidelines for acceptance:

- The Nox test suite must pass without errors and warnings.
- Include unit tests. This project maintains 100% code coverage.
- If your changes add functionality, update the documentation accordingly.

Feel free to submit early, though—we can always iterate on this.

You can ensure that your changes adhere to the code style by reformatting with Black:

```
$ nox --session=black
```

It is recommended to open an issue before starting work on anything. This will allow a chance to talk it over with the owners and validate your approach.

CONTRIBUTOR COVENANT CODE OF CONDUCT

3.1 Our Pledge

We as members, contributors, and leaders pledge to make participation in our community a harassment-free experience for everyone, regardless of age, body size, visible or invisible disability, ethnicity, sex characteristics, gender identity and expression, level of experience, education, socio-economic status, nationality, personal appearance, race, religion, or sexual identity and orientation.

We pledge to act and interact in ways that contribute to an open, welcoming, diverse, inclusive, and healthy community.

3.2 Our Standards

Examples of behavior that contributes to a positive environment for our community include:

- Demonstrating empathy and kindness toward other people
- Being respectful of differing opinions, viewpoints, and experiences
- Giving and gracefully accepting constructive feedback
- · Accepting responsibility and apologizing to those affected by our mistakes, and learning from the experience
- Focusing on what is best not just for us as individuals, but for the overall community

Examples of unacceptable behavior include:

- The use of sexualized language or imagery, and sexual attention or advances of any kind
- Trolling, insulting or derogatory comments, and personal or political attacks
- · Public or private harassment
- Publishing others' private information, such as a physical or email address, without their explicit permission
- Other conduct which could reasonably be considered inappropriate in a professional setting

3.3 Enforcement Responsibilities

Community leaders are responsible for clarifying and enforcing our standards of acceptable behavior and will take appropriate and fair corrective action in response to any behavior that they deem inappropriate, threatening, offensive, or harmful.

Community leaders have the right and responsibility to remove, edit, or reject comments, commits, code, wiki edits, issues, and other contributions that are not aligned to this Code of Conduct, and will communicate reasons for moderation decisions when appropriate.

3.4 Scope

This Code of Conduct applies within all community spaces, and also applies when an individual is officially representing the community in public spaces. Examples of representing our community include using an official e-mail address, posting via an official social media account, or acting as an appointed representative at an online or offline event.

3.5 Enforcement

Instances of abusive, harassing, or otherwise unacceptable behavior may be reported to the community leaders responsible for enforcement at mail@claudiojolowicz.com. All complaints will be reviewed and investigated promptly and fairly.

All community leaders are obligated to respect the privacy and security of the reporter of any incident.

3.6 Enforcement Guidelines

Community leaders will follow these Community Impact Guidelines in determining the consequences for any action they deem in violation of this Code of Conduct:

3.6.1 1. Correction

Community Impact: Use of inappropriate language or other behavior deemed unprofessional or unwelcome in the community.

Consequence: A private, written warning from community leaders, providing clarity around the nature of the violation and an explanation of why the behavior was inappropriate. A public apology may be requested.

3.6.2 2. Warning

Community Impact: A violation through a single incident or series of actions.

Consequence: A warning with consequences for continued behavior. No interaction with the people involved, including unsolicited interaction with those enforcing the Code of Conduct, for a specified period of time. This includes avoiding interactions in community spaces as well as external channels like social media. Violating these terms may lead to a temporary or permanent ban.

3.6.3 3. Temporary Ban

Community Impact: A serious violation of community standards, including sustained inappropriate behavior.

Consequence: A temporary ban from any sort of interaction or public communication with the community for a specified period of time. No public or private interaction with the people involved, including unsolicited interaction with those enforcing the Code of Conduct, is allowed during this period. Violating these terms may lead to a permanent ban.

3.6.4 4. Permanent Ban

Community Impact: Demonstrating a pattern of violation of community standards, including sustained inappropriate behavior, harassment of an individual, or aggression toward or disparagement of classes of individuals.

Consequence: A permanent ban from any sort of public interaction within the community.

3.7 Attribution

This Code of Conduct is adapted from the Contributor Covenant, version 2.0, available at https://www.contributor-covenant.org/version/2/0/code_of_conduct.html.

Community Impact Guidelines were inspired by Mozilla's code of conduct enforcement ladder.

For answers to common questions about this code of conduct, see the FAQ at https://www.contributor-covenant.org/faq. Translations are available at https://www.contributor-covenant.org/translations.

3.7. Attribution 11

FOUR

LICENSE

MIT License

Copyright (c) 2020 Claudio Jolowicz

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Command-line tool for upgrading Python dependencies using Poetry.

By default, this tool determines outdated dependencies using poetry show —outdated, and performs the following actions for every reported package:

- 1. Switch to a new branch poetry-up/<package>-<version>.
- 2. Update the dependency with poetry update. For incompatible updates, also update pyproject.toml.
- 3. Commit the changes to pyproject.toml and poetry.lock.
- 4. Push to origin (optional).
- 5. Open a pull request or merge request (optional).

If no packages are specified on the command-line, all outdated dependencies are upgraded.

14 Chapter 4. License

FIVE

INSTALLATION

To install poetry-up, run this command in your terminal:

\$ pip install poetry-up

SIX

USAGE

poetry-up's usage looks like:

```
$ poetry-up [<options>] [<packages>]
```

--install

Install dependency into virtual environment. This is the default behavior.

--no-install

Do not install dependency into virtual environment.

--commit

Commit the changes to Git. This is the default behavior.

--no-commit

Do not commit the changes to Git.

--push

Push the changes to the remote repository.

--no-push

Do not push the changes to the remote repository. This is the default behavior.

--merge-request

Open a merge request.

--no-merge-request

Do not open a merge request. This is the default behavior.

--pull-request

Open a pull request.

--no-pull-request

Do not open a pull request. This is the default behavior.

--upstream <branch>, -u <branch>

Specify the upstream branch. By default, branches are created off the master branch.

--remote <remote>, -r <remote>

Specify the remote to push to. By default, branches are pushed to origin.

-C <directory>, --cwd <directory>

Change to this directory before performing any actions.

-n, --dry-run

Just show what would be done.

--version

Display the version and exit.

--help

Display a short usage message and exit.

18 Chapter 6. Usage

PYTHON MODULE INDEX

р

poetry_up.console, 1
poetry_up.git, 1
poetry_up.github, 2
poetry_up.poetry, 3
poetry_up.up.date, 3

20 Python Module Index

INDEX

Symbols	A			
-C <directory></directory>	Action (class in poetry_up.update), 3			
command line option, 17	Actions (class in poetry_up.update), 3			
commit	add() (in module poetry_up.git), 1			
command line option, 17	D			
cwd <directory></directory>	В			
command line option, 17	<pre>branch_exists() (in module poetry_up.git), 1</pre>			
dry-run				
command line option, 17	C			
help	command line option			
command line option, 17	-C <directory>, 17</directory>			
install	commit, 17			
command line option, 17	cwd <directory>,17</directory>			
merge-request	dry-run, 17			
command line option, 17	help, 17			
no-commit	install, 17			
command line option, 17	merge-request, 17			
no-install	no-commit, 17			
command line option, 17	no-install, 17			
no-merge-request	no-merge-request, 17			
command line option, 17	no-pull-request, 17			
no-pull-request	no-push, 17			
command line option, 17	pull-request, 17			
no-push	push, 17			
command line option, 17	remote <remote>, 17</remote>			
pull-request	upstream <branch>, 17</branch>			
command line option, 17	version, 17			
push	-n, 17			
command line option, 17	-r <remote>,17</remote>			
remote <remote></remote>	-u <branch>, 17</branch>			
command line option, 17	Commit (class in poetry_up.update), 3			
upstream <branch></branch>	commit() (in module poetry_up.git), 1			
command line option, 17	<pre>create() (poetry_up.update.Actions class method), 3</pre>			
version	create_pull_request() (in module po-			
command line option,17	etry_up.github), 2			
-n	<pre>current_branch() (in module poetry_up.git), 1</pre>			
command line option, 17	_			
-r <remote></remote>	F			
command line option, 17	find_latest_package() (in module po-			
-u <branch></branch>	etry_up.poetry), 3			
command line option, 17	V — I I — V//			

```
update_pyproject_toml()
                                                                                          module
                                                                                                   po-
                                                             etry_up.poetry), 3
is_clean() (in module poetry_up.git), 1
                                                    Updater (class in poetry_up.update), 4
M
MergeRequest (class in poetry_up.git), 1
0
Options (class in poetry_up.update), 4
Р
Package (class in poetry_up.poetry), 3
PackageUpdater (class in poetry_up.update), 4
poetry_up.console (module), 1
poetry_up.git (module), 1
poetry_up.github (module), 2
poetry_up.poetry (module), 3
poetry_up.update (module), 3
                                     module
pull_request_exists()
                               (in
                                               po-
        etry_up.github), 2
PullRequest (class in poetry_up.update), 4
Push (class in poetry_up.update), 4
push() (in module poetry_up.git), 2
R
remove_branch() (in module poetry_up.git), 2
required() (poetry_up.update.Action property), 3
required() (poetry_up.update.Commit property), 4
required() (poetry_up.update.PackageUpdater prop-
        erty), 4
required() (poetry_up.update.PullRequest property),
        4
required() (poetry_up.update.Push property), 4
required() (poetry_up.update.Rollback property), 4
required() (poetry up.update.Switch property), 4
resolve_branch() (in module poetry_up.git), 2
Rollback (class in poetry up.update), 4
run () (poetry_up.update.PackageUpdater method), 4
run () (poetry_up.update.Updater method), 5
S
search_for_package_with_provider()
                                               (in
        module poetry_up.poetry), 3
show() (poetry_up.update.PackageUpdater method), 4
show_outdated() (in module poetry_up.poetry), 3
Switch (class in poetry_up.update), 4
switch() (in module poetry_up.git), 2
U
Update (class in poetry_up.update), 4
update() (in module poetry_up.poetry), 3
                                    module
update_constraint()
                             (in
                                               po-
        etry_up.poetry), 3
```

22 Index